



















-----  
 Scheda di frequenza 10 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : -110 -140 100 -100 -200 -110 200 140 100 16060 -140 100  
 -90  
 B : -100 110 -140 -110 -110 100 -110 -110 -300 -110 -110 110  
 -200  
 C : -140 100 500 -140 100 -140 -90 -100 200 200 100 -130  
 -200  
 D : 500 -110 100 -210 -110 -110 -110 200 -110 -140 200 200  
 -110  
 .....

score	freq	NS	EW
500	2	100.96	1.04
200	6	92.80	9.20
140	1	85.67	16.33
110	2	82.61	19.39
100	8	72.41	29.59
-90	2	62.22	39.78
-100	3	57.12	44.88
-110	14	39.78	62.22
-130	1	24.49	77.51
-140	7	16.33	85.67
-200	3	6.14	95.86
-210	1	2.06	99.94
-300	1	0.02	101.98

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 11 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : -150 -130 -170 16060 -190 -130 -400 -150 -150 -150 -400 -420  
 -150  
 B : -170 -150 100 -150 -150 -130 -440 -170 -170 -130 50 -400  
 -420  
 C : -400 -130 -130 -120 -150 -150 -150 -450 -130 -120 -130 -300  
 -420  
 D : -420 -400 -170 100 -420 -400 -500 -420 -170 -150 -170 -150  
 -150  
 .....

score	freq	NS	EW
100	2	100.96	1.04
50	1	97.90	4.10
-120	2	94.84	7.16
-130	8	84.65	17.35
-150	14	62.22	39.78
-170	7	40.80	61.20
-190	1	32.65	69.35
-300	1	30.61	71.39
-400	6	23.47	78.53
-420	6	11.24	90.76
-440	1	4.10	97.90
-450	1	2.06	99.94
-500	1	0.02	101.98

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 12 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : -500 50 -420 16060 50 50 -170 50 50 50 -170 -450  
 50  
 B : 50 50 50 50 50 -420 -140 50 50 -170 50 50  
 50  
 C : 50 -420 50 50 50 -420 50 100 150 -170 50 50  
 -170  
 D : -140 50 50 50 -420 100 -450 50 -450 50 -420 50  
 100  
 .....

score	freq	NS	EW
150	1	101.98	0.02
100	3	97.90	4.10
50	30	64.25	37.75
-140	2	31.63	70.37
-170	5	24.49	77.51
-420	6	13.27	88.73
-450	3	4.10	97.90
-500	1	0.02	101.98

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196



-----  
 Scheda di frequenza 14 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : 460 460 460 460 450 430 460 460 980 460 16060 460  
 460  
 B : 430 460 400 -50 450 450 460 430 460 460 460 490  
 -50  
 C : 460 430 460 490 920 460 490 460 460 460 460 -50  
 460  
 D : 460 450 460 490 490 460 460 460 460 450 450 800  
 460  
 .....

score	freq	NS	EW
980	1	101.98	0.02
920	1	99.94	2.06
800	1	97.90	4.10
490	5	91.78	10.22
460	29	57.12	44.88
450	6	21.43	80.57
430	4	11.24	90.76
400	1	6.14	95.86
-50	3	2.06	99.94

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 15 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : 110 140 -100 150 16060 800 300 140 -200 300 170 -100  
 -200  
 B : 50 140 140 -200 -100 140 -100 100 110 -100 140 -300  
 500  
 C : 90 -100 -200 300 500 500 -470 500 -200 -100 140 170  
 140  
 D : -100 -100 -100 620 -100 -200 200 -100 140 500 -100 800  
 800  
 .....

score	freq	NS	EW
800	3	99.94	2.06
620	1	95.86	6.14
500	5	89.75	12.25
300	3	81.59	20.41
200	1	77.51	24.49
170	2	74.45	27.55
150	1	71.39	30.61
140	9	61.20	40.80
110	2	49.98	52.02
100	1	46.92	55.08
90	1	44.88	57.12
50	1	42.84	59.16
-100	13	28.57	73.43
-200	6	9.20	92.80
-300	1	2.06	99.94
-470	1	0.02	101.98

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 16 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : -650 -650 -800 -800 16060 -170 -1100 -650 50 -200 -200 -650  
 -650  
 B : -650 -800 -800 -150 -650 -200 0 -1400 -650 -650 -650 -620  
 -620  
 C : -200 -1100 -680 -650 -800 -200 -800 -650 -800 -800 -200 -650  
 -650  
 D : -650 -650 -230 -1100 -650 -650 -650 -650 -650 -650 -680 -650  
 -800  
 .....

score	freq	NS	EW
50	1	101.98	0.02
0	1	99.94	2.06
-150	1	97.90	4.10
-170	1	95.86	6.14
-200	6	88.73	13.27
-230	1	81.59	20.41
-620	2	78.53	23.47
-650	23	53.04	48.96
-680	2	27.55	74.45
-800	9	16.33	85.67
-1100	3	4.10	97.90
-1400	1	0.02	101.98

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 17 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : 140 -50 -510 -450 -100 -450 -300 -100 -300 -100 -100 16060  
 -100  
 B : -100 -50 -450 -50 -100 -150 -50 -300 -100 -200 50 -450  
 -100  
 C : -150 -50 140 -100 -100 -50 -50 -100 -50 -100 -50 -450  
 -50  
 D : 110 -100 -150 -50 -690 -450 -300 -300 -450 -500 -450 -500  
 -100  
 .....

score	freq	NS	EW
140	2	100.96	1.04
110	1	97.90	4.10
50	1	95.86	6.14
-50	11	83.63	18.37
-100	15	57.12	44.88
-150	3	38.76	63.24
-200	1	34.69	67.31
-300	5	28.57	73.43
-450	8	15.31	86.69
-500	2	5.12	96.88
-510	1	2.06	99.94
-690	1	0.02	101.98

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 18 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : -150 50 -80 -150 -100 50 -120 120 -90 -100 -100 16060  
 -100  
 B : -150 -120 50 -150 90 -100 -90 120 -100 -90 50 -80  
 120  
 C : 120 -90 -80 120 100 90 -90 -120 -100 50 -120 -100  
 -110  
 D : 50 50 100 -100 -180 -80 -80 90 -120 -120 -90 50  
 50  
 .....

score	freq	NS	EW
120	5	97.90	4.10
100	2	90.76	11.24
90	3	85.67	16.33
50	9	73.43	28.57
-80	5	59.16	42.84
-90	6	47.94	54.06
-100	9	32.65	69.35
-110	1	22.45	79.55
-120	6	15.31	86.69
-150	4	5.12	96.88
-180	1	0.02	101.98

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 19 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : 130 120 120 130 130 16060 120 120 120 130 120 -50  
 120  
 B : 120 120 120 130 -50 110 130 110 110 150 130 120  
 110  
 C : 120 130 120 180 150 130 120 -50 200 180 150 120  
 150  
 D : 120 500 120 120 130 200 150 130 120 120 -50 130  
 110  
 .....

score	freq	NS	EW
500	1	101.98	0.02
200	2	98.92	3.08
180	2	94.84	7.16
150	5	87.71	14.29
130	12	70.37	31.63
120	20	37.75	64.25
110	5	12.25	89.75
-50	4	3.08	98.92

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196



-----  
 Scheda di frequenza 21 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : 680 710 710 710 710 710 1460 710 710 710 710 710  
 16060  
 B : 710 1460 710 710 710 1460 710 2210 1460 710 1460 710  
 800  
 C : 710 710 710 1460 2210 710 710 710 710 1460 1460 710  
 710  
 D : 710 300 710 1460 710 1460 1460 1460 1460 710 710 1460  
 1400  
 .....

score	freq	NS	EW
2210	2	100.96	1.04
1460	14	84.65	17.35
1400	1	69.35	32.65
800	1	67.31	34.69
710	31	34.69	67.31
680	1	2.06	99.94
300	1	0.02	101.98

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 22 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : -100 -50 -50 -100 -50 90 -100 -50 120 -50 90 90  
 16060  
 B : -100 90 120 -50 120 -50 -50 -100 0 -150 -50 -150  
 90  
 C : 90 90 -50 -100 90 -100 -50 -50 -50 -100 -50 200  
 90  
 D : 400 -50 -50 90 -100 90 -100 -50 -50 -100 -100 90  
 -50  
 .....

score	freq	NS	EW
400	1	101.98	0.02
200	1	99.94	2.06
120	3	95.86	6.14
90	12	80.57	21.43
0	1	67.31	34.69
-50	19	46.92	55.08
-100	12	15.31	86.69
-150	2	1.04	100.96

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 23 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : 170 620 620 620 650 620 16060 620 620 200 620 620  
 500  
 B : 620 650 620 620 620 620 200 650 800 150 620 620  
 620  
 C : 620 0 620 650 620 620 620 620 170 620 620 800  
 620  
 D : 620 620 620 620 200 620 100 170 -100 500 100 800  
 170  
 .....

score	freq	NS	EW
800	3	99.94	2.06
650	4	92.80	9.20
620	30	58.14	43.86
500	2	25.51	76.49
200	3	20.41	81.59
170	4	13.27	88.73
150	1	8.18	93.82
100	2	5.12	96.88
0	1	2.06	99.94
-100	1	0.02	101.98

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 24 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : -110 -110 -110 -170 50 -140 16060 -140 50 -110 -140 -110  
 -110  
 B : -80 -140 50 -140 50 110 50 150 100 -110 -110 -110  
 -140  
 C : -140 -110 -140 50 50 -110 -140 50 -110 -50 50 -140  
 -100  
 D : -110 -50 -170 -140 -110 -50 -140 110 -110 -140 -110 -110  
 -140  
 .....

score	freq	NS	EW
150	1	101.98	0.02
110	2	98.92	3.08
100	1	95.86	6.14
50	9	85.67	16.33
-50	3	73.43	28.57
-80	1	69.35	32.65
-100	1	67.31	34.69
-110	17	48.96	53.04
-140	14	17.35	84.65
-170	2	1.04	100.96

scores 51 + 1 attrib  
 totsco 52

top = 100, integ = 102  
 N.fac = 1.01961, N.add = 0.0196

-----  
 Scheda di frequenza 25 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : 110 -620 -50 -140 -170 -620 -620 100 -100 100 100 -170  
 200  
 B : -620 -620 -100 -100 200 -100 -420 -800 -620 -300 -170 -100  
 -620  
 C : -140 -150 -50 -620 -620 100 110 90 -170 -50 200 -100  
 200  
 D : -620 -620 -170 -50 -150 100 -620 470 -500 -50 -620 -620  
 110  
 .....

score freq NS EW

470 1 102.00 0.00  
 200 4 97.00 5.00  
 110 3 90.00 12.00  
 100 5 82.00 20.00  
 90 1 76.00 26.00  
 -50 5 70.00 32.00  
 -100 6 59.00 43.00  
 -140 2 51.00 51.00  
 -150 2 47.00 55.00  
 -170 5 40.00 62.00  
 -300 1 34.00 68.00  
 -420 1 32.00 70.00  
 -500 1 30.00 72.00  
 -620 14 15.00 87.00  
 -800 1 0.00 102.00

scores 52

totsco 52

top = 102

N.fac = 1.00000, N.add = 0.0000

-----  
 Scheda di frequenza 26 sessione 2, metodo: Mitchell, 23 Set 2006  
 Neuberg = S

1 2 3 4 5 6 7 8 9 10 11 12  
 13

.....  
 A : 990 -850 -990 990 -620 -200 -200 200 -650 -200 650 -620  
 650  
 B : -500 -200 -200 -650 -170 -730 200 -650 100 750 200 -620  
 -200  
 C : -620 -650 -620 -620 650 -200 -650 -170 650 -650 990 620  
 -650  
 D : -650 650 650 -620 -620 -650 -200 200 790 -650 -100 -620  
 650  
 .....

score	freq	NS	EW
990	3	100.00	2.00
790	1	96.00	6.00
750	1	94.00	8.00
650	7	86.00	16.00
620	1	78.00	24.00
200	4	73.00	29.00
100	1	68.00	34.00
-100	1	66.00	36.00
-170	2	63.00	39.00
-200	8	53.00	49.00
-500	1	44.00	58.00
-620	9	34.00	68.00
-650	10	15.00	87.00
-730	1	4.00	98.00
-850	1	2.00	100.00
-990	1	0.00	102.00

scores 52  
 totsco 52

top = 102  
 N.fac = 1.00000, N.add = 0.0000





